

Index of Subjects

- AAR (alkali-aggregate reaction) 49-50
- AASHTO classification, use in Jamaica 61-67
- AASHTO compaction 139
- abrasivity, of Hawkesbury Sandstone, Sydney, Australia *see* Hawkesbury Sandstone
- abrasivity index: Schimazek's F-value 10
- acidisation
 - acid concentration 123
 - acid volume 122
 - borehole development and rehabilitation 109-125
 - chemical principles, stoichiometry 113
 - effect on geophysical logging 117-121
 - field evaluation 115-121
 - method of acid application 123-124
- acidity in granular soils, effect of air drying 149-153
- afforestation, of hill slopes, Nainital 183
- air drying of soils 152-153
- Ajali Sandstone, SE Nigeria
 - CBR test 142
 - chemical tests 143
 - geology 137-139
 - geotechnical evaluation 137-148
 - shear strength test 142
 - stabilisation 145
- alluvial soils samples, Iraq 359-368
- Altiplano, Bolivia *see* Bolivia, Altiplano
- anisotropy ratio, of aquifers 202
- aquifer compressibility, specific storage 130-131
- aquifer storage parameters estimation 127-135
- aquifer transmissivity 201, 202
- aquifer units, Eastern England 338
- Atterberg limits, and soil compaction parameters estimation 359-368
- Atterberg limits, and derived indices 167-168
- authigenic kaolinite, as cementing material 248

- bed erosion control (Kailakhan) 183
- bedding karst
 - multilayered groundwater flows 205-216
 - NE Mt Xishan, China 207-209
- block toe disintegration, Carnic Alps 191
- block-type slope movements 185
- Bolivia, Altiplano
 - estimation of storativity 131-133
 - storativity testing techniques 127, 128
- borehole acidisation 109-125
- borehole capture zone defining, Shropshire, UK 193-204
- borehole development, use of acidisation 109-125
- borehole logging 75
- borehole rehabilitation, use of acidisation 109-125

- Brazilian tensile strength test 6, 12
- Bregga borrow area 45, 48-49
- British building stones 306
- brittle failure, Sherwood sandstone 271
- brittleness ratio (UCS/BTS) 7
- building stone
 - compressive strength (ASTM C170) 310
 - decay 155-157, 317
 - durability
 - acid immersion test 311 (ASTM C119) 310
 - crystallization test 310
 - saturation coefficient and porosity 310-311
 - quarrying
 - calculation of quantities 309
 - rate and method of working 308-309
 - stripping ratio 307
 - sampling 311
 - testing: appearance, strength, durability 309-310
- building stone extraction, geologist's role 307-308
- building stone and planning 312

- ¹⁴C dating 214
- calcite leaching 176
- calcite removal, and earthflow instability 163, 168-169, 172, 174-175
- calcite saturation, Lancun and Xiahuai springs 214
- caliper logs, effect of acidisation 118-121
- Candoer Scheme, groundwater management 342
- Carboniferous limestones 293-299
- Carnic Alps, Austria, rock fall prediction 185-192
- Çatak area, structural geology 103
- Çatak landslide
 - geomorphological map 105
 - hydrothermal alterations and weathering 102
 - local geology 102-104
 - natural oversteepening 106
 - regional geology 99-102
- Cathedral Quarry, Lincoln 312-315
 - caves (Nottingham)
 - crown hole development 243-251
 - roof failure 245-248
- CBR test 142, 145
- cement-stabilized soil, geotechnical properties 143-148
- Chalk
 - contamination by mine-drainage water 354
 - mine geometry and age 281-283
- Chalk boreholes, effect of acidisation 116
- chalk mineworkings
 - abandoned 281-291

- appraisal scheme 282
- assessment 286-287
- deterioration and collapse 284-286
- interfactor relationship 283
- mechanism influence network 287
- mechanism maps 288
- micro-macro deterioration processes 285
- stability evaluation 287-290
- Chek Lap Kok Airport (Hong Kong) 81-82
- chemical stratification, groundwaters 197
- China *see* Mt Xishan, China; Taiyuan, China
- Chiniwa Basin (China), paleokarst depressions 207
- classification, of rock mass weathering 69-76
- clay plasticity 163
- compressible clays, Hong Kong 89
- conceptual water balance 199
- concrete technology, influence of climate and geology 25-60
- conjunctive use, of surface and groundwater 352
- Control of Pollution Act (1947) 346-347
- core abrasion test 9-10, 11
- core cutting test 8-9, 11
- Cretaceous limestones (Chalk) 291-300
- crown hole development 243-251

- Dangerous Substances Directive classification 228
- debris plane 185
- decay, of building stone 155-157, 317
- Department of the Environment and Welsh Office, aquatic environment 229-230
- Department of the Environment and Welsh Office circulars 228
- design, of check dam 184
- Devonian limestones 302
- digital terrain model 88
- directives (EEC) 228-229
- displacement-time curves
 - of the Tressdorfer Höhe 186
 - used for rock fall prediction 190
- dredging, Hong Kong 93
- drilling slurry dissolution 113
- ductile deformation, of Permian rocks 272
- ductility number (UCS/BTS) 7
- Durham area limestone 301

- earthflow
 - and carbonate removal 163
 - weathering and regolith properties 163-178
- Eastern Pontids, geological map 100
- EC Regulations and Directives 226, 227, 228, 229
- Edmond Bridge, water supply station 193
- Edmond Bridge catchment area
 - geophysical survey 196
 - groundwater head distribution 196
 - hydrogeology 193-197
- Edmond Bridge pumping test, Newman's type curve method 197
- Edwinstowe
 - felt/reported seismic events 260-262
 - magnitude and number of seismic events 260
 - microseismicity 259-260
 - mining-induced tremors 262-268
 - temporal variations of seismicity 272-274
 - Thoresby Colliery 262-268, 270-272
- electronic extensometer measurements 185-186
- engineering geology, North Lantau, Hong Kong 81-98
- environment (aquatic), dangerous substances criteria 229
- environmental hazards
 - Nainital Lake 181-182
 - of unplanned urbanization of mountainous terrains 179-184
- environmental regeneration, Kailakhan 183
- European legislation, and hydrogeology 227-231

- F-value (Schimazek) 5, 6, 10, 11, 13, 14, 16
- failure mechanisms, Carnic Alps 191
- Fengfeng formations 205
- finite-difference groundwater flow model 199
- fissures, and roof failure, Nottingham caves 251
- flow, joints and infiltration, Mt Xishan 209
- Fuller's Earth
 - calcite content 322, 325
 - continued movement slopes 324
 - decalcification and residual shear strength reduction 324
 - plasticity index 323, 325
 - residual shear strength 321-325
 - silt components 321-324
 - similarities with weathering scheme for London Clay 175-176
- gas blanking, Hong Kong seismic records 93
- gas permeability changes, of rocksalt 327-334
- gas pressure, in acidisation 123-124
- geo-environmental hazards Kailakhan 182
- GEOBOL-UNDP, Altiplano 128, 131-133
- Geographical Information System (GIS), and engineering classification 281, 288, 289
- geophysical logging, effect of acidisation 117-121
- geophysical survey, Edmond Bridge catchment area 196
- granites (Hong Kong), engineering properties 95
- granular soils, abnormal acidity 149-153
- Great Man-Made River Project
 - climate and geology 30-41
 - concrete technology 53-55
 - ground aggressivity in relation to the pipe 55-58
 - history 25-30

- Phase I 25-60
 - quarries, pits and aggregates 45-53
 - regional geology setting 33-35
 - sedimentary geology 38-41
 - seismic risk design 35-38
- Great Ouse Scheme, groundwater management 341
- grid method, for reservoir capacity evaluation 218, 222
- groundwater
 - abstraction control 338
 - abstraction licenses 338
 - chemical stratification 197
 - chemistry 339
- Groundwater Directive (EC) 227-231
- groundwater flow
 - in karstic block mountains 205-216
 - Mt Xishan, Taluan, China 205-216
- groundwater flow modelling 199-202
- groundwater flow systems 336
- groundwater head distribution, Edmond Bridge 196
- groundwater inflow (GWI) and outflow (GWO), East Shropshire 198
- groundwater level hydrography, Lancun borehole 208
- groundwater management 340-345
- groundwater model validation 202
- groundwater pollution, radioactivity and synthetic organic chemicals 347
- groundwater pollution control 338
- Groundwater Provinces, UK 336, 337
- groundwater quality 345-347
- groundwater recharge 339
- groundwater resources development
 - abstraction (England and Wales) 350
 - conjunctive use 352
 - England and Wales 348-355
 - infiltration 351
 - principle aquifers 349
- groundwater resources (UK) 335-358
- gushflows, karstic springs 207
- Ham Hill (Yeovil) building stone 315-316
- Hawkesbury Sandstone
 - abrasivity 5-17
 - cuttability 5, 7-8
 - cutting and abrasion testing 10-12
 - engineering properties 6-7
 - mineralogical composition 7
- hazard mitigation measures, Nainital 182-183
- hazards, of building on high hill slopes 180-181
- high-purity limestones, England and Wales 193-303
- Himalaya, environmental hazards of unplanned urbanization 179-184
- Hipparion laterite 207
- Hoe Lane North Borehole acidisation 119
- Hong Kong, saprolitic soils 87-88, 233-237
- Hong Kong, North Lantau
 - bedrock geology 83-84
 - bedrock properties 85-96
 - construction materials 94-95
 - engineering geology 81-98
 - geological structures 84-85
 - hydrology 89-90
 - offshore superficial soils 88-89
 - onshore superficial soils 88
 - piled foundations 94
 - reclamation 93-94
 - saprolitic and residual soils 87-88
 - seismicity 95
 - stability of cut slopes 90-91
 - stability of natural slopes 91-93
 - superficial geology 85
 - topography and drainage 83
 - underground development 95
 - weathering 86-87
- Hong Kong, Tuen Mun, development of a new town 2-4
- horizontal drains, sources of seepage (Hong Kong) 19-20
- Humberside limestones 299
- hydrogeological cross sections, Libya 28
- hydrogeology, and European legislation 226-231
- HYPOCENTER, and tremor location 258
- hypocentral depth, Thoresby Colliery tremors 270-272
- impeller flow logging 196
- India, Konark Sun Temple, building stones decay 155-157
- infiltration, groundwater resources 351
- infiltration assessment, Penman method 339
- Ingletonian rocks, Yorkshire 161-162
- Iraq, alluvial soil samples 359-368
- isotopic analyses 214
- Jamaica, road construction 61-67
- joint, and infiltrating flow 209
- Jurassic limestones 301-302
- Kailakhan, environmental hazards and regeneration 182, 183
- karst
 - layered 207
 - uplift and development of vertical 209
- karst water
 - confined and unconfined flow 209-214
 - evidence for confined 202-204
- karstic springs 205-216 *passim*
- karstification 207, 207-209
- khondalite
 - petrology 155-156
 - weathering 156-157

- kinematics, pre-failure stage of rock falls 189, 192
- Konark Sun Temple, India, building stone decay 155-157
- Lake District limestones 298-299
- Lancashire Conjunctive Use Scheme 353
- Lancun borehole, groundwater level hydrography 208
- landslide hazards, Naina peak slopes 181
- landslides, controlled relict joints (Hong Kong) 91
- landslips, in calcerous mudrock 324
- layered karst 207
- Liangjiashan formations 205
- Libya, Great Man-Made River Project Phase I 25-60
- limestone resources, and land-use 293
- limestones, high-purity (UK) 293-303
- Lincoln Cathedral, conservation studies 316
- Lincoln Cathedral stone 312
- Lincolnshire limestones 299
- locked sandstone 250
- logging, effect of acidisation 117-121
- London Basin groundwater development 344-345
- London Clay, similarities of weathering scheme with Fuller's Earth 174, 175-176
- low cost estimates of aquifer parameters 127-133
- Lower Mesopotamian Plain, Iraq, alluvial soils 359-368
- Majiagu formations 205
- Malabar Outfall Decline Tunnel 13-14
- marine ground investigations 2
- marine mud 2-3
- Mendips, limestones in the 295-296
- microseismicity, Edwinstowe 259-260
- milky salt 329-330
- mine geometry and age (Chalk) 281-283
- Mineral Hardness Scale 10
- mineralogical model, building stone decay 155-157
- mineworkings in Chalk, abandoned 281-291
- mining-induced seismicity 253-279
- mining-induced tremors, frequency magnitude plot 272
- monitoring, of rock slopes 185-186
- Mt Xishan
 - China
 - geology and topography 205-206
 - layered caves 2-7
 - vertical zones of caves 207
- mudflows 163
- mudwave reclamation, Hong Kong 93
- Naina peak slopes
 - landslide hazards 181
 - stability 183
- Nainital
 - afforestation of the hill slopes 183
 - geological setting 180
 - geotechnical map 180
 - hazard mitigation measures 182-183
 - hazards of unplanned urbanization 179-184
 - hill slopes creep movements 181
 - physiography 179-180
- Nainital Lake
 - environmental hazards 181-182
 - mitigation of pollution 183
 - siltation rate 182
- national scheme, for the classification of listed substances 229
- Newcastle-upon-Tyne abrasion test 10
- Newcastle-upon-Tyne cutting test 9
- Newman's type curve method, and Edmond Bridge pumping test 197
- Nigeria, Ajali sandstone *see* Ajali Sandstone, SE Nigeria
- nitrate concentrations, Permo-Triassic sandstone aquifer 193, 197
- nitrates, EC maximum allowable concentration 193
- North Lantau, Hong Kong *see* Hong Kong, North Lantau
- North Pennines limestones 298
- North Wales limestones 297-298
- Notional Factor of Safety (NFS) 288
- Nottingham, crown hole development in the sandstone caves 243-251
- Nottingham Castle Sandstone 244-245
- Nottinghamshire
 - seismic array
 - array geometry 255-258
 - seismic instrumentation 255-258
- Nottinghamshire Coalfield, mining-induced seismicity 253-279
- numerical techniques
 - in reservoir capacity evaluation 217-225
 - verification by a physical model 220-225
- paleokarst depressions, Chiniwa Basin 207
- PCC pipes
 - construction 58
 - ground aggressivity 55-58
- Peak District limestones 295
- permeability measurement, pulse decay method 327-329
- Permian dolomites 300-301
- Permo-Triassic sandstone aquifer, nitrate pollution 193
- phenoblastic salt 329
- pile testing 4
- pillar-and-stall sand mines, Nottingham 248
- plasticity, road construction, Jamaica 65
- polynomial interpolation, in reservoir capacity evaluation 218-220
- pore pressure dissipation, Hong Kong 93

- pre-failure behaviour of rock slopes, Carnic Alps 188-190
- pre-stressed concrete cylinder pipes (PCCP) 25, 41-45
- precision extensometer monitorings 186
- pulsator, karstic springs 207
- quarrying, building stone *see* building stone quarrying
- quarrying costs, for crushed and building stone 308
- ranges, cross sections method 217-218
- ratings systems
 - for the classification of rock mass weathering 69-76
 - for joints in rocks 72
- reaction rates
 - effect of acid concentration 113
 - effect of lithology 113
- recharge
 - estimation 196-197, 198-199
 - from river infiltration 196-197
 - of groundwater 339
- regolith profiles
 - changes in shear strength 174-175
 - comparison with London weathering 174, 175-176
 - effect of calcite content 168-169
 - geotechnical characteristics 166, 167-169
 - physical properties 166, 167, 168-169, 171-172
- regolith properties, weathering and 163-178
- reservoir capacity evaluation
 - contour maps 217
 - errors in the 222
 - numerical techniques 217-255
 - physical model 220-225
- reservoir sedimentation analyses 217
- reversal shear box test, Hong Kong saprolitic soils 233-237
- road construction
 - Jamaica
 - AASHTO classification 61-67
 - GI and GPI 65-66
 - plasticity 65
 - sub-grade and sub-base evaluation 66
- rock cuttability and wear test (Roxborough) 5
- rock cutter dredger 12
- rock cutting test (UNSW, Sydney) 9
- rock dredging 5-17
- Rock Engineering Mechanisms Information Technology (REMIT) 284
- rock fall, triggered by storm 189
- rock fall prediction
 - Carnic Alps 185-192
 - and seismic events 191
 - time windows 190
- rock falls, Hong Kong 93
- rock mass weathering, classification by ratings system 69-76
- rock slopes, accelerated movements and water supply 189
- rock slopes monitoring 185-186
- rocks, chemical decomposition (Hong Kong) 87
- rocksalt
 - gas permeability changes 327-334
 - permeability measuring apparatus 329
- roof collapse, the role of water 250
- roof failure
 - and natural fissures 251
 - Nottingham Sandstone caves 246-248
 - and vibrations 251
- saline intrusion (Chalk) 352
- sandstone
 - effect of water on its strength 248-250
 - effect of weathering on roof failure 250
- sandstone aquifer, borehole capture zone defining 193-204
- sandstone caves of Nottingham, crown hole development 243-251
- sandstone caves progressive failure 244
- saprolites, Hong Kong, slope design 233
- saprolitic soils
 - Hong Kong 87-88
 - decomposition and shear strength components 235
 - lower limit of shear strength 237
 - reversal shear box test 233-237
- Sarir borrow area 45-48
- Schimazek's F-value 5, 6, 10, 11, 13, 14, 16
- secondary failure, influence on block statics in rock falls 191
- sedimentation, analyses of reservoir 217
- seepage (Hong Kong)
 - dilapidated U-channels 20-21
 - discharge and rainfall records 23
 - from retaining wall weepholes 19-24
 - leaking horizontal drains 22
 - natural hollows 21-22
 - sources of 19-24
- seismic events, rock fall prediction 191
- seismic instrumentation, array geometry 255-258
- seismicity
 - in the Edwinstowe area, temporal variations 272-274
 - Hong Kong 95
 - mining-induced 253-279
 - Severn Estuary limestones 296
 - shear strength, Ajali Sandstone 142, 143
 - Sher-hi-danda Hill, creep and stability analysis 181, 182-183
 - Sherwood sandstone, brittle failure 271
 - siltation rate, Nainital Lake 182
 - Silurian limestones 302
 - slate testing, sills and roofing slates 309

- slope design, Hong Kong saprolites 233
- slope protection 147
- slope stability
 - Hong Kong 90
 - mechanisms for failure initiation 175
- soil compaction parameters estimation 359-368
- soils, abnormal acidity in granular 149-153
- South Wales limestones 296-297
- Southern England limestones 299-300
- specific storage, aquifer compressibility 130-131
- specific yield, estimation techniques 129
- Stanford Street caves, Nottingham 245-248
- stone decay, causes 317
- stone restoration and conservation 316
- storativity
 - estimation techniques 130-131, 133-134
 - field testing 131-133
 - 'hydrogeologist's guess' 134
 - Todd estimate 129, 134
- stratigraphical relations, Çatak, Turkey 101
- stream bank stabilization, Kailakhan 183
- stream course gradients 182
- stress relief fissuring 174, 175, 176
- Sure, progressive karstification 207
- surface hazard zonation, utilizing GIS 288, 289
- Sy and S estimation, aquifer storage 129-133
- Sydney Harbour Tunnel 5, 7, 8, 11, 12-13
- Sydney Ocean Outfalls 5

- Taiyuan, China, bedding karst and groundwater flows 205-216
- Taiyuan Basin, karstification 207
- Taiyuan rift block 205
- tectonic framework, Libya 27
- tectonic structures, Ollerton and Edwinstowe 254
- temperature, of karst springs 214
- terrain classification, Hong Kong 88
- Thames Scheme, groundwater management 341
- thermo-mechanical stress, and gas permeability changes of rocksalt 327-334
- Thoresby Colliery tremors 262-268, 270-272
- time prediction, of a rock fall (Carnic Alps) 185-192
- TM71-instrument, for monitoring rock slopes 185-186
- Todd estimate of storativity 129, 134
- tool wear 5
- toppling failure 90, 191
 - static analysis 186-187
- tremor location, and HYPOCENTER 258
- tremors, in coal mining areas 253
- Tressdorfer Höhe, Carnic Alps, rock falls 185
- tribology 15
- tritium content and age, karst waters 214, 215, 216
- Tsing Shan landslide 91
- Tuen Mun, Hong Kong, development of a new town 2-4

- Turkey, Çatak landslide 99-108

- UK, acidisation in practice 109-110
- UK water legislation 227
- uniaxial compressive strength 145-146
- uranium analysis 214
- urbanization in mountainous terrain, Himalaya 179-184

- vertical karst, Mt Xinan 207
- volcanic tuffs, Hong Kong, engineering properties 95

- Wadi Farigh, Libya, cross-section 48
- Wales, high-purity limestones in England and 293-303
- water
 - effect on sandstone 248-250
 - role in roof failures 248, 250
- Water Act (1945) 335
- Water Act (1989) 348
- water balance, East Shropshire 197-198
- Water Directives, dangerous substances 227
- water flow model, of multilayered karst (Mt Xishan) 209-216
- Water Resources Act (1963) 340, 345
- Water Resources Act (1973) 345, 347
- Water Resources Act (1991) 335
- water resources assessment 338-340
- Water Resources Board 341
- water supply station, Edmond Bridge 193
- Waveney Scheme, groundwater management 341
- weathering
 - at an earthflow site 163-178
 - calcite content and slope stability 174-175
 - of consolidated mudrocks, compared to Fuller's Earth 163, 167, 169, 173, 176
 - and density variations 172-174
 - engineering significance 70, 71
 - of khondalite 156-157
 - and regolith properties at an earthflow site 163-178
 - of rock mass, by rating systems 69-76
 - of rocks, terminology 69
 - of sandstone and roof failure 250
- weathering zones, in regolith profiles 166, 167
- weepholes, seepage from retaining wall 19-24
- well tests interpretation 339
- Welsh Borders, limestones in the 302

- Xiping Basin 205
- Xishan synclinorium 205

- Yanshan Tectonic movements 205
- Yorkshire limestones 301
- YUNTA development programme 128

Index of Localities

- Australia, Sydney 5-17
Austria, the Carnic Alps 185-192
- Bolivia, Altiplano (Provincia Villarroel)
127-135
- China
Mt Xishan
Taiyuan 205-216
- Himalaya (Kumaun), Nainital 179-184
Hong Kong 19-24
Castle Peak Bay 2-4
Check Lap Kok Airport 81
North Lantau 81-98
Tuen Mun New Town 2-4
- India, Konark Sun Temple 155-157
Iraq, Lower Mesopotamian Plain 359-368
- Jamaica, West Indies 61-67
- Libya 25-60
- New Zealand, North Island 163-178
Nigeria, Southeastern 137-148
- Spain 69-76
- Turkey, Çatak Village 99-108
- UK 109-125, 335-358
Blackwater River (Hampshire-Surrey border)
149
- Durham 301
Eastern England 338
Edwinstowe 254, 258, 259-260, 260-268
England and Wales 293-303, 349, 350, 351
Hampshire-Surrey border, River Blackwater
149
Humberside 299
Lake District 298-299
Lincoln
Cathedral Quarry 312-315
Lincoln Cathedral 316
Lincolnshire 299
Mansfield Rd, Nottingham 248
North Pennines 298
North Wales 297-298
North Yorkshire 301
Nottingham 243-251
Nottinghamshire Coalfield 253-279
Peak District 295
Severn Estuary 296
Shropshire 185-192, 193-204
Edmond Bridge 193-197
South Devon 302
South Wales 296-297
South Yorkshire 301
Southern England 299-300
Stanford St, Nottingham 245-248
The Mendips 295-296
Thoresby Colliery 262-264, 270-272
Wales and England 293-303, 349, 350, 351
Welsh Borders 302
Yeovil, Ham Hill Quarry 315-316
Yorkshire 161-162, 301

Index of Authors

- Al-Khafaji, A. N. 359-368
Allen, M. 253-279
Anbalagan, R. 179-184
Au, S. W. C. 19-24, 233-237
- Banks, D. 109-125
Billiotte, J. 327-334
Bishop, I. 253-279
Brulhet, J. 327-334
- Cosgrove, T. 109-125
- Deveughele, M. 327-334
Downing, R. A. 335-358
- Eze, E. O. 137-148
- Fookes, P. G. 25-60
Franks, C. A. M. 81-98
- Genc, S. 99-108
Glawe, U. 185-192
- Harker, D. 109-125
Harrison, D. J. 293-303
Hawkins, A. B. 321-325
Howsam, P. 109-125
- Jefferson, D. P. 305-319
- Le Guen, C. 327-334
Lerner, D. N. 193-204
- McDonald, C. 321-325
Mackintosh, J. 25-60
- Maharaj, R. J. 61-67
Moser, M. 185-192
- Norbury, D. R. 149-153
- Pang, K. K. 19-24
Papatolios, K. T. 193-204
Price, D. G. 69-76
- Raymahashay, B. C. 155-157
Rosenbaum, M. S. 281-291
Rybar, J. 185-192
- Sabtan, A. 217-225
Sandover, B. R. 149-153
Sharma, S. 155-157
Sheils, A. K. 226-231
Smith, G. J. 281-291
Stoner, J. R. 25-60
Styles, P. 253-279
Suoware, O. P. 137-148
- Tatcher, J. P. 109-125
Trotter, C. M. 163-178
- Verhoef, P. N. W. 5-17
- Waltham, A. C. 243-251
Woods, N. W. 81-98
- Younger, P. L. 127-135
- Zhang, D. 205-216
Zika, P. 185-192
Zvelebil, J. 185-192

The Quarterly Journal of Engineering Geology

1993 Vol. 26

Scientific Editor: A. B. Hawkins

Assistant Scientific Editors: K. M. Baxter, G. West

Editorial Board: J. H. Atkinson, K. Atkinson, R. D. Barker, J. H. Black,
J. C. Cripps, P. G. Fookes, R. Herbert, G. Jones, K. D. Privett,
B. O. Skipp, P. Styles, G. Walton

Published by

The Geological Society

Burlington House, Piccadilly, London W1V 0JU, UK.

Contents of Volume 26

No 1

Photographic Feature: Tuen Mun New Town, Hong Kong	2
P. N. W. VERHOEF: Abrasivity of Hawkesbury Sandstone (Sydney, Australia) in relation to rock dredging	5
S. W. C. AU & K. K. PANG: A note on seepage from retaining wall weepholes	19
P. G. FOOKES, J. R. STONER & J. MACKINTOSH: Great Man-Made River Project, Libya, Phase I: a case study on the influence of climate and geology on concrete technology	25
R. J. MAHARAJ: Technical Note: Use of AASHTO classification to evaluate soils for road construction in Jamaica, West Indies	61
D. G. PRICE: Technical Note: A suggested method for the classification of rock mass weathering by a ratings system	69
Book reviews	77

No 2

C. A. M. FRANKS & N. W. WOODS: Engineering geology of North Lantau, Hong Kong	81
S. GENC: Structural and geomorphological aspects of the Çatak landslide, NE Turkey	99
D. BANKS, T. COSGROVE, D. HARKER, P. HOWSAM & J. P. THATCHER: Acidisation: borehole development and rehabilitation	109
P. L. YOUNGER: Simple generalized methods for estimating aquifer storage parameter	127
E. O. EZE & O. P. SUOWARE: Technical Note: Geotechnical evaluation of untreated and cement-treated Ajali Sandstone from southeastern Nigeria	137
B. R. SANDOVER & D. R. NORBURY: Technical Note: On an occurrence of abnormal acidity in granular soils	149
B. C. RAYMAHASHAY & S. SHARMA: Technical Note: Decay of building stones: a mineralogical model for Konark Sun Temple, India	155
Book reviews	159

No 3

Photographic Feature: The Ingletonian	161
C. M. TROTTER: Weathering and regolith properties at an earthflow site	163

R. ANBALAGAN: Environmental hazards of unplanned urbanization of mountainous terrains: a case study of a Himalayan town	179
U. GLAWE, P. ZIKA, J. ZVELEBIL, M. MOSER & J. RYBAR: Time prediction of a rock fall in the Carnic Alps	185
K. T. PAPATOLIOS & D. N. LERNER: Defining a borehole capture zone in a complex sandstone aquifer: a modelling case study from Shropshire, UK	193
D. ZHANG: Bedding karst and multilayered groundwater flows in karstic block mountains in the northeast of Mount Xishan, Taiyuan, China	205
A. SABTAN: Numerical techniques in reservoir capacity evaluation	217
A. K. SHEILS: Hydrogeology and European legislation	227
S. W. C. AU: Technical Note: Reversal shear box test for Hong Kong saprolitic soils	233
Corrigendum	239

No 4

Editorial	241
A. C. Waltham: Crown hole development in the sandstone caves of Nottingham . . .	243
I. Bishop, P. Styles & M. Allen: Mining-induced seismicity in the Nottinghamshire Coalfield	253
G. J. Smith & M. S. Rosenbaum: Abandoned mineworkings in chalk: approaches for appraisal and evaluation	281
D. J. Harrison: High-purity limestones in England and Wales	293
D. P. Jefferson: Building stone: the geological dimension	305
A. B. Hawkins & C. McDonald: The influence of granular calcareous particles on the residual shear strength of Fuller's Earth Clay	321
C. Le Guen, M. Deveughele, J. Billiotte & J. Brulhet: Gas permeability changes of rocksalt subjected to thermo-mechanical stresses	327
R. A. Downing: Groundwater resources, their development and management in the UK: an historical perspective	335
A. N. Al-Khafaji: Technical Note: Estimation of soil compaction parameters by means of Atterberg limits	359
Book reviews	369
Indexes	373